

```

<?php

define('WP_CACHE', true);

/**
 * The base configuration for WordPress
 *
 * The wp-config.php creation script uses this file during the
 * installation. You don't have to use the web site, you can
 * copy this file to "wp-config.php" and fill in the values.
 *
 * This file contains the following configurations:
 *
 * * MySQL settings
 * * Secret keys
 * * Database table prefix
 * * ABSPATH
 *
 * @link https://codex.wordpress.org/Editing_wp-config.php
 *
 * @package WordPress
 */

// ** MySQL settings - You can get this info from your web host ** //

/** The name of the database for WordPress */
define( 'DB_NAME', 'u917463408_guheq' );

/** MySQL database username */
define( 'DB_USER', 'u917463408_jesat' );

```

```

/** MySQL database password */

define( 'DB_PASSWORD', 'sazeTeQyNe' );


/** MySQL hostname */

define( 'DB_HOST', 'mysql' );


/** Database Charset to use in creating database tables. */

define( 'DB_CHARSET', 'utf8' );


/** The Database Collate type. Don't change this if in doubt. */

define( 'DB_COLLATE', '' );


/**
 * Authentication Unique Keys and Salts.
 *
 * * Change these to different unique phrases!
 *
 * * You can generate these using the {@link https://api.wordpress.org/secret-key/1.1/salt/
WordPress.org secret-key service}
 *
 * * You can change these at any point in time to invalidate all existing cookies. This will force all
users to have to log in again.
 *
 * @since 2.6.0
 */

define( 'AUTH_KEY',          '5nkprt>YgGBi0:5c{g1Xg_}y.glh4IBG^%3v_0E&Oy/Nk$!m$4$jboD
<M!7;^<T' );

define( 'SECURE_AUTH_KEY',
'dw(h3YWbaqXk2V#Qksvqc)y&e`o,%FR?/^u!8,xZ]5U+)ugn<4gn|0t`$aR?pn(' );

```

```

define( 'LOGGED_IN_KEY', 'b))fD4b^4BnXySkPC;PEL7#n ^tZ yU0dab/cm8n0aty
=S(lmXAVu|.$.B4[w=y' );

define( 'NONCE_KEY',
'oxw`[Pyk{3K,zfZe00:04m;wP?NqrU&JW@<NP6?[+:k%N[kM]leNEOz7>pHtR8,N' );

define( 'AUTH_SALT', 'w=Fur3BYP8 --
TGXq17@F^F@/x!f2Rc7/Tp2cuiZ#r2nT$^mxqTJ+|ZAw7FPMem5' );

define( 'SECURE_AUTH_SALT', '$DP|7Pi8@bNc|~^uvU|f.c8,OPQt{IQP-T[gzxyz
gFY:tQY[EsOT_kn*J7fh.va#' );

define( 'LOGGED_IN_SALT', '3U(#/yM]wk?O9tG,~a@-
$iRTX,];VuO*a{5EH;gBp1!,OyW57Eh!%R)}L3r@xs}N' );

define( 'NONCE_SALT',
'f?[W%tgzH:Vnv*z]Wa+Est,MA*0!a(x$i)^pkM/7v9<w+;T4!S@ou@$Lc##TL4_g' );

define( 'WP_CACHE_KEY_SALT', 'l.PT4bO3@c]%*=:m!ekJ9C6S|Sh3/%#DV.
^/Jul2$3{Xv3JSPbUtMy]qzkz>cR}' );

```

```
/**
```

```
* WordPress Database Table prefix.
```

```
*
```

```
* You can have multiple installations in one database if you give each
```

```
* a unique prefix. Only numbers, letters, and underscores please!
```

```
*/
```

```
$table_prefix = 'wp_';
```

```
/* That's all, stop editing! Happy publishing. */
```

```
/** Absolute path to the WordPress directory. */
```

```
if ( ! defined( 'ABSPATH' ) ) {
```

```
define( 'ABSPATH', dirname( __FILE__ ) . '/' );  
}
```

```
/** Sets up WordPress vars and included files. */
```

```
require_once ABSPATH . 'wp-settings.php';
```